## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	53	**564444**	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR I	ON	2009/01/29 15:41
L2	27425	magnes3 near17 finals5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 15:53
L3	109989	*360*/\$.cols.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 15:53
L4	1046	password near17 final05	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 15:54
L5	4	2 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 15:54
L6	2874	2 and 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NOR	ON	2009/01/29 15:54
L7	14939	password near11 protect 33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR OR	ON	2009/01/29 15:55
L8	1	6 and 7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 15:55

_9	1723	record\$3 near17 finaliz	US-PGPUB;	OR	ON	2009/01/29
		\$55	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_IDB		***************************************	115:56
10	40	7 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 115:56
11	© 	3 and 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 15:56
12	29	3 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 15:57
S1	7	10/779767	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27
\$2	28	#6288989#	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27
\$3	11724	second hear? (user hear3 id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	12008/06/27 112:35
S4	2	(write near3 protect\$3) near7 (user near3 id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	22008/06/27 112:36
S5	222	(write near3 protect\$3) near7 (user near3 (id or password or identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	12:008/06/27 1112:38

36	2	(overwrit\$4 near3 protect		OR	ON	2008/06/27
		<pre>s3) near7 (user near3 (id or password or identification))</pre>	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	***************************************	***************************************	112:38
7	2	(eras34 near3 protect33) near7 (user near3 (id or password or identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OOR	ON	12008/06/27 112:38
38	126	25 or 36 or 57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 112:38
39	6	"6236541"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 17:13
310	1	"5512111".PN.	USPAT; USOCR	OR	ON	2008/06/27 17:13
311	1124	(protect93 or password) near17 (lead-in)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 17:15
512	13605	(protect53 or password) near27 cartridge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_IDB	OR	ON	12008/06/27 17:15
313	42	511 and 512	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 17:15
S14	104419	1369 */\$.ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	12008/06/27 17:18

S15	677	\$12 and \$14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	22008/06/27 117:18
316	25593	(disc or medium or disc or tape) near17 (lead- in) or (lead-out)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	22008/06/27 117:19
\$17	8585	(disc or medium or disc or tape) nearlT ((lead- in) or (lead-out))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	22008/06/27 117:19
518	276	\$12 and \$17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 117:20
319	141	(password) near27 cartridge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27
520	5436	(password) and cartridge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_IDB	OR	ON	22008/06/27
321	10	\$18 and \$20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27
S22	361	(Write near3 protect\$3) near7 tape	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	22008/06/27 117:33
S23	23223	(Cartridge) near7 tape	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_IDB	OR	ON	22008/06/27

524	242	522 and 523	US-PGPUB; USPAT; USOCR;	OR	ON	2008/06/27 17:34
			FPRS; EPO; JPO; DERWENT; IBM_TDB	***************************************		***************************************
325	359	(lead-in) near17 tape	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 17:45
326	6	(lead-in) near17 password	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	22008/06/27 117:46
327	188	(tape) near17 password	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	12008/06/27 117:46
328	0	\$25 and \$27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	22008/06/27 117:46
329	2	\$14 and \$27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_IDB	OR	ON	22008/06/27 117:46
330	7676	(tape) near17 (key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27
331	11	\$25 and \$30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	22008/06/27 17:49
S32	17123	(writ93 or overwrit93 or eras93 or protect93) near17 password	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	22008/06/27 18:00

533	123	523 and 532	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	IOR	ON	2003/06/27
334	361750	(writ03 or overwrit03 or eras03 or protect03) near17 (disc or medium or disk or tape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27
335	82	\$33 and \$34	US-FGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_IDB	OR	ON	2008/06/27 18:02
336	62046	(writ33 or overwrit33 or eras33 or protects3) near17 (tape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NOR	ON	2008/06/27
337	36175	(Writ33 or overwrit33 or eras33) near17 (protect 93 or prohibit93)	US-FGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27
338	2188	836 and 837	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_IDB	IOR	ON	2008/06/27
339	4742	(writ\$3 or overwrit\$3 or eras\$3) near17 (password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_IDB	SOR	ON	2008/06/27 18:17
340	167	[338 and 939	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27
541	29	\$23 and \$40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NOR	ON	22008/06/27

342	92	"4310883 <b>"</b>	US-PGPUB; USPAT;	OR	ON	2008/06/27
			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
343	23580	(cartridge) near? (tape or diskette)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR SOR	ON	12008/06/27 1119:22
344	52	939 and 543	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	12008/06/27 19:22
345	48	*5267311*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 19:24
S46	78009	(cartridge) near7 (tape or diskette or disk or disc or medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_IDB	OR	ON	2008/06/27 119:30
\$47	3779	(writ93 or overwrit93 or eras93) near7 (password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_IDB	OR	ON	2008/06/27 19:30
548	139	\$46 and \$47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_IDB	OR	ON	12008/06/27 119:31
549	52	*564444*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	12008/06/27 119:39
350	1911	(lead-in) and cartridge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27

S51	5	S49 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27
S52	5695	(lead-in) and lead-out and (disk or disc or disksette)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27
353	2912	\$14 and \$52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	12008/06/27 119:44
354	7	847 and 853	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	22008/06/27
355	793	(lead-in) and lead-out and cartridge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	12008/06/27 119:45
356	217	\$14 and \$55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27
357	166	\$34 and \$56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	22008/06/27 119:47
558	148	S17 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	22008/06/27 119:48
559	5695	(lead-in) and lead-out and (disk or disksette)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	22008/06/27 119:51

S60	148	S58 and S59	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 119:51
\$61	3219	((lead-in) and (lead- out)) near17 (disk or disksette)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	12008/06/27 119:52
562	131	360 and 361	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 19:52
563	7668	password near? (twice or plurality or "same")	US-FGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 13:22
S64	3	password near7 lead-in	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	22009/01/29 13:23
S65	6	password near17 lead-in	US-FGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 13:23
<b>S</b> 66	14939	password nearl1 protect 33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_IDB	OR	ON	12009/01/29 13:24
S67	1953	363 and 366	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_IDB	OR	ON	12009/01/29 113:24
568	106401	(*369*/\$.cols.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WOOR	ON	2009/01/29 13:24

		OR	ON	2009/01/29
	USPAT;		1	13:24
	USOCR;			
	FPRS; EPO;			
	JPO;		1	
	DERWENT;			
	IBM_TDB			
<u> </u>		, 		<u> </u>

1/29/2009 5:06:02 PM C:\Documents and Settings\KChu\My Documents\EAST\Workspaces\10'779767.wsp